



Ground Etude, Projecting, Mounting

Sites, Shopping Centers, Military and special establishments Road Marker, Decelerator Chassis, Traffic Sign and Pillar, Road Line Paint, Parking Lot Marking, Walkway Berm, Paint, Road Trap, Lever Barrier and Security Mirror are designed by determining the needs at the place.



GÖKTEL TELEKOMÜNİKASYON ENERJİ İNŞ. TURZ. GIDA TEKS. MED. SAN. ve TİC. LTD. ŞTİ.
Bağdat Cd. No: 10/B / Demetevler - Ankara / TÜRKİY • Phone: (+90 312) 332.30 00 (pbx) Fax: (+90 312) 335 51 11
www.trafikmarket.com





Metal Fabric

Textile Fabric



LED Traffic Signs

The LED traffic signboards are more blazing and striking according to normal traffic signs. Using these led traffic signs helps to reduce accidents in highly accident prone areas.

These solar powered signs can be produced in 3 different shapes as 12 / 24V - 220V. Solar powered and built in 3 different varieties - 12 , 24 V & - 220 V. The leds which are used on boards are suitable to work for years together without creating any problem. Traffic arrangement and warning signs can be prepared optionally.



» Danger Curve Direction Signs



» Pedestrian Crossing Signs



» Main Road Upgrade Signs



» School Crossing Signs



» Median Line Sign



» Speed Limit Signs



» Roadwork Sign



» No Vehicle Entry Sign



» Roadway Lightning



We have started our actions in 2004 to be an Institutional Logistical Provision Center to cover the needs of institutional establishments and firms besides public institutes and establishment which are proved their institutional identifications.

In our country where the costs are more important than manufacturing and supplier business, parallel to quality approach we have adopted the idea of "Total quality is a culture and the way going to the culture passes from the value of human, and the value of human is calculated with the quality of service" with all our hearts...

We strain to produce and to supply the best quality, present an easy access with comfort to the special establishments and security forces, besides finding products that they look for in a safe and peaceful place, also to present high standard products to our customers...

Whenever you need, we are always ready to service to you without conceding our responsible and consciousness behavior.

Service to you is a pleasure for us. Please make a call for your questions.

Respects



ikmalci.com
Traffic and Security Marketing

Ba dat Caddesi No: 10/B
Demetevler - Ankara / TÜRK YE
Phone : (+90 312) 332 30 00
Fax : (+90 312) 335 51 11
www.trafikmarket.com

Traffic Cones



The traffic cones which are used to warn the drivers and to provide the traffic safety in any classes of roads and highways are also used in front of the workplaces, parks and playgrounds with different aims. These cones are produced from two different polymers and used in different areas according to technical features and dimensions. The products are fabricated weather proof polymer.



www.trafikmarket.com

» Hard Traffic Cones (Fragile)



» Soft Traffic Cones



» Weightness Traffic Cones



» Advertisement and Warning Cones



Preliminary Warning - Guidance



These are warning lamps which store sun power by their solar panels and flash during the night. It has a wide area of usage with using cone, lace and barrier. They are produced from polymer which is stable to heavy weather conditions and strokes. They are used to make safe the areas such as highways, crossways, entrance-upgrades of bridges, entrance-upgrades of parking lots.



www.trafikmarket.com

» Traffic Warning and Guidance Cones



869 12621
955 mm / 4.9 kg

869 12622
970 mm / 4.8 kg

869 12623
875 mm / 4.6 kg

869 12624
970 mm / 4.8 kg

869 12625
960 mm / 4.9 kg

» Traffic Warning and Guidance Posts



869 12631
1570 mm / 12.2 kg

869 12632
1570 mm / 12.2 kg

869 12633
1470 mm / 4.8 kg

869 12634
1390 mm / 4.7 kg

» Traffic Caution Posts



869 12408
915 mm / 5.2 kg

869 12406
915 mm / 5.2 kg

» Warning Flashers



869 11911
236x290 mm / 0.84 kg

869 11913
235x290 mm / 0.84 kg

869 11915
120x100 mm / 0.56 kg

869 12651
620 mm / 4.96 kg

869 12652
810 mm / 5.24 kg

869 12653
810 mm / 5.24 kg

» Traffic Warning Posts with Flasher

» Traffic Cone With Flasher



869 12671
1300 mm / 12.96 kg

869 12672
1490 mm / 12.84 kg

869 12673
1490 mm / 12.84 kg

869 12661
1100 mm / 5.06 kg

869 12662
1290 mm / 5.34 kg

869 12663
1290 mm / 5.34 kg

Warning-Guidance Barriers




They are functional products in different dimensions and features which are used to make warning barricades and determine the borders of work areas and use to prevent the accidents. They provide ease of transport with pliable legs. When different accessories are put on the product, it works as a good cautionary. The products are fabricated from natural weather proof (20 + 60) polymer.



www.trafikmarket.com

» Float Caution and Guidance Barriers



» Portable Caution and Guidance Barriers



Road Markers



Warning Road Markers are used as cautionary and redirector for the drivers in local ways and lane determiner in highways. Besides; they are reflective lens cautionary products.

Solar powered Road Markers flashes during the night by the energy that they have stored from the sun. They are stable to the heavy tonnage high traffic load.



www.trafikmarket.com

Plastic Road Markers



Metal Road Markers



Solar Power Road Markers



Dividing-Separation-Arranging Lane Markers



Decelerator Road Culverts



The Speed Ramps are applied to warn the drivers and slacken at residential area- crossroads and school fronts- crosswalks, train way level crossings- medians- depot, factory entrances- entrance of public places- sites and midways- all areas the is required to decelerate. The products are fabricated from natural weather proof (-20, +60) rubber.



www.trafikmarket.com



869 12100 Plastic Chassis
250x350x50 mm / 1.40 kg

869 12101 YK
250x100x50 mm / 0.34 kg

10 km/h

30°

Counterforce Interaction Angle

It consists of 1 meter 3 chassis

869 12106 Rubber Chassis
400x500x40 mm / 6.30 kg

869 12107 YK
400x200x40 mm / 1.70 kg

30 km/h

18°

Counterforce Interaction Angle

It consists of 1 meter 2 chassis



869 12102 Plastic Chassis
300x330x40 mm / 1.30 kg

869 12103 YK
300x100x40 mm / 0.26 kg

20 km/h

22°

Counterforce Interaction Angle

It consists of 1 meter 3 chassis

869 12104 Rubber Chassis
500x330x45 mm / 6.20 kg

869 12105 YK
500x250x45 mm / 2.90 kg

40 km/h

16°

Counterforce Interaction Angle

It consists of 1 meter 3 chassis



869 12160 Rubber Chassis
400x500x50 mm

869 12161 YK
400x150x50 mm

It consists of 1 meter 2 chassis

869 12170 Rubber Chassis
465x605x45 mm / 12 kg

869 12171 YK
300x605x45 mm / 3 kg



869 12180 Rubber Chassis
460x690x40 mm / 10 kg

869 12181 YK
250x690x40 mm / 3 kg

It consists of 1 meter 2 chassis



Traffic Safety Cylinders



APPLICATION AREAS:

They are used at, Road Contributions – Turnpike Road Toll booth Entrances
 Traffic Arrangement Points - Highway Exits – Junctions – Depots – Tunnels
 Airports - Mid strips – Rounds – Parking Lots – Shopping centers
 Road works – Gas stations for separating the roads and strips.



www.trafikmarket.com

Flexible Road Lane Separator

STABLE TO 300.000 TIME STRIKES



Steel Road Border Post (Ground Type)



Steel Road Border Post (Surface Mounting Type)



STABLE TO 1.500 TIME STRIKES



Road Barriers



The road barriers are used to mark the construction spaces to close the area to the traffic. It is used to form narrow and wide spaces for closing the area.



www.trafikmarket.com

Plastic Road Barriers



869 13100
1x2 m

869 13101
1x2 m



869 13150
Tumbler

869 13151
Tumbler

869 13152
Asphalt Repair

869 13153
Warning Post

869 13154
Foldable Warning Barrier

Water Barrier



869 13102
80x50x120 cm

Metal Barrier



869 13103
1x2 m

Accordion Barrier



869 13104
40x94 cm kapak / 3.5 m x 94 cm ağı / 6.95 kg



869 13155
Foldable Warning Barrier

869 13156 A
Plastic Chain Cone

869 13156 B
Plastic Chain

869 13156 C
Girland

869 13157
Slippery Floor Sign



869 13158
Working Man Figures



869 13159
Indoor Guidance Barrier

Traffic Sound-Light-Caution Systems



Traffic and Road Safety materials are pre warning materials that are used to determine the working spaces of traffic controllers. They provide to stop the drivers at the control points safely and warn before stopping and direct the traffic without disturbing the traffic safety.



www.trafikmarket.com

Lighthouse and Projectors



869 13200
Light Stick

869 13201
Light Stop-Pass



869 13202
Trafficler Lighthouse Set



869 13203
Battery Pocket Lamp



869 13204
Charged Hand Projector

Top Lamp



869 13220
Cylinder Top Lamp



869 13221
Drop Type Magnetic Top Lamp



869 13225
Inner shutter Strobe Beacon System



869 13239
Mini Top Lamp



869 13240
Mini Top Lamp



869 13241
Top Lamp



869 13242
Top Lamp



869 13230
Motorcycle Light System

Solar Powered Flasher

Road / Pillar Type



869 13252



869 13253



869 13254

Preliminary Caution Materials



869 13260
Warning Flag



869 13261
Strip Meter



869 13270
Caution Sign



869 13271
Triangle Reflector with Floodlight



869 13262
Security Strip (500 ml)



869 13263
Dominit Lamp



869 13272
Compulsory Wily Sign



869 13273
Stop/ Gendarme Sign

Hand Megaphones 869 13300



Vertical – Horizontal Marking



As for usage road marking products, we export-import the traffic sign boards, sign carriage legs, road line paints, glass globule and more



www.trafikmarket.com

Traffic Signs



869 14101



869 14102



869 14103



869 14104



869 14105

Traffic Sign Carrier Legs



869 14151



869 14152



869 14153



869 14154



869 14155



869 14156



869 14157



869 14158



869 14159

Rubber Sign Mountings 869 14211



Auto Guard Reflectors 869 14221

Tunnel Follow-up Reflectors 869 14225



869 14222

Anti-Rolling Tape 869 14250



Reflective Materials 869 14270



Road/Shoulder Line Machine 869 14350



869 14351



869 14352



869 14353

Road/Shoulder Line Paint 869 14360



Glass Globule 869 14370



Air Caution Flashers 869 14380



Institutional Textile



By request we manufacture the reflective uniforms for official association and companies in our own factories.



www.trafikmarket.com

Special Ambulance Clothes 869 13700



869 13701

869 13702



869 13703

869 13704

869 13705

869 13706

112 Emergency Clothes 869 13730



869 13731-1

Cap

869 13731-2

Vest

869 13731-3

Long Sleeve T-shirt

869 13731-4

Short Sleeve T-shirt

869 13731-5

Light T-shirt

869 13731-6

Z-Neck T-shirt

869 13731-7

Polo Collar T-shirt

869 13731-8

Sweat T-shirt

869 13735-1

Summer Pant

869 13735-2

Winter Pant

Traffic Municipal Police Clothes



869 13735-3

Montgner

869 13735-4

Anorak

869 13735-5

Overalls

869 13735-6

Shoe-Half Boot

UMKE Clothes 869 13750



869 13751



869 13752



869 13753



869 13754



869 13755

Special Security Clothes 869 13760



Policeman Clothes 869 13770



Fireman Clothes 869 13780



Municipal Police Clothes 869 13790



Reflective Traffic Vests



These vests are produced from fluorescent orange colored raschel cloth to provide the employee to be distinguished from the other objects, in other words to increase their distinguishness in the sunlight. The reflective braids which are used in the reflective vests bring a supreme visibility at the darkne of the night and foggy weathers.



www.trafikmarket.com

Gendarme- Gendarme Traffic Vests



869 13350 869 13351



869 13353

869 13352

Gendarme Traffic Jacket



869 13354

Municipality Traffic Vests



869 13360



869 13361



869 13362



869 13363

Traffic Policeman Vests



869 13370



869 13371

School Crossway Team



869 13380

Security Mirror (Circular)



869 13400

Indoor Glass Ø 40 13400-1
Indoor Glass Ø 50 13400-2
Indoor Glass Ø 60 13400-3
Indoor Glass Ø 70 13400-4

Security Mirror (Dome, Acrylic)



1/1

869 13401

360°

1/4

90°

869 13404

ç Mekan Açıklık Ø 70



1/2

180°

869 13403

Under Vehicle Search Mirror



869 13406

19x38


869 13405

Outdoor Glass Ø 70 13405-1
Outdoor Glass Ø 90 13405-2
Outdoor Acrylic Ø 90 13405-3

869 13407

Glass Ø 40 13407-1
Glass Ø 50 13407-2
Acrylic Ø 50 13407-3

Security Fishnet



Rope Ladder



Parking Lot Barrier Systems



All products are approval to the international standards. The barrier structure is made from 312 stainless chrome steel barrier arm is from special profile section aluminum, and connected elements are made from inox stainless steel materials. Barrier arms have a telescopic featured two special. All of the mechanic components are connected to a cadmium covered 5 mm steel grounding. Cast components are electrostatic powder paint. Arm connections are designed in a feature that will clutch the barrier arms from two sides strongly. Barrier arm can be balanced according t the arm length with special designed press spring system.



www.trafikmarket.com

» Parking Level Barrier System



JOINT LEVER BARRIER SYSTEM

Cross Joint Lever Barrier System are designed to arrange the entrance-exit traffic in closed places which have a limited ceiling height. It is suitable in usage of low ceiling crossing points.

- Stainless Chrome Steel Trunk
- Steel Frame
- Special Design Trunk
- Joint Barrier Crank
- Alloyed Aluminum Double Sides Crank Connection
- Easy Export Engine and Reductor
- AC and DC Engine Alternatives

869 CRM 450 AC

869 CRM 450 DC



STANDARD LEVER BARRIER

It facilitates to be distinguished at any weather condition and light circumstances. Provides safe crossing. It has an aesthetic and safe design according to the other models.

869 CRL 450 AC

869 CRL 450 DC



869 CR SL 450 AC

869 CR SL 450 DC

LIGHT LEVER BARRIER

When the barrier is on off position, a red light is on continuously. At the beginning of the open moment, a green light signals by flashing. When the barrier is at off position again, the red light is on continuously.

» Fungoid Barrier



869 13500



» Circular Fungoid Barrier



869 13510

» Private Parking Lots Barrier



869 13520

220 AC

- Enables personal parking lot opportunity
- Controlled by a controller.
- 4 parking lot barriers can be commanded with one receiver. It gives usage permission only a user after the other completes the on-off process.
- When electricity cut off 50-60 times on/off.

» Road Snare

869 13530



» Trap

869 13540



» Road Blockage

869 13550

